



MODELLO	MASSA COMPLESSIVA (Kg)	LUNGHEZZA (m)	TARE +/- 3% (Kg)		
			2+2 Piani	2+3 Piani	3+3 Piani
SBA63-R	39000	13.60	11800	12500	13100

TECHNICAL CHARACTERISTICS

- Ø **Chassis:** Self-supporting anti-corrosion Aluminium structure
- Ø **Axles:** single 9000 Kg capacity
- Ø **Brakes:** drum Ø 420x180 mm.
- Ø **Braking system:** pneumatic with 2 lines according to ECE regulations with 2 channel EBS and RSS.
- Ø **Parking Brakes:** spring brakes with pneumatic controls.
- Ø **Suspensions:** pneumatic type with electronic control.
- Ø **Wheels:** disc 22.5 x 15.00 and M spigot.
- Ø **Tyres:** 385/55R22.5 160J single.
- Ø **King Pin:** 2" demountable from below.
- Ø **Landing legs:** two speed with rocking feet.
- Ø **Body:** box unit for livestock 2+2, 2+3, 3+3, 3+4 loading decks with hydraulic controls, raising lowering roof on lower part and on goose neck, side doors and back doors, wide tool boxes under the body, internal and external working lights.
- Ø **Electrohydraulic system:** completed with automatic safety device in accordance with Machines Directive and Work Safety Institute. (approval TUV n° 24 03 9761 002)
- Ø **Loading ramp:** hydraulically controlled, adjustable in height, anti-slip, with incorporated side guards.
- Ø **Partition gates:** in aluminium or zinc coated steel with over-flap for larger animals.
- Ø **Ventilation system:** autonomous with 15 side fans Ø 255 mm. Max air flow 19500 m³/h
- Ø **Roof:** insulated and adjustable in height
- Ø **Internal height:** 2x1.8 m

OPTIONALS

- Ø Vents on sided to be closed with aluminium flaps (+300 Kg);
- Ø Heating system for drinking system
- Ø Remote control for decks and roof
- Ø Positioning GPS system integrated with temperature and opening doors recording.